




HUSQVARNA 535iRXT

Husqvarna 535iRXT is a robust, high-performance battery-powered brushcutter designed for full-time professional use - lightweight, well-balanced and power equivalent to a 35cc petrol brushcutter. The E-TORQ motor and 45 cm cutting diameter deliver the performance you need to get the job done on time. The integrated connectivity makes it easy to keep track of usage stats, service history and last known location in the Husqvarna Fleet Services™ app. The bevel gear and other vital components are carried over from our petrol range, while the rigid handle tower and motor suspension are crafted from magnesium. Includes grass blade and ErgoFeed™ trimmer head.



Integrated connectivity

Machines with a built-in connectivity module can easily be connected with Husqvarna Fleet Services™. Allowing you to see each machine's last known location, its usage stats and service history – and much more. This also facilitates updates of the machine's firmware, so that it's always compatible with the latest functions in Husqvarna Fleet Services™.



Truly cordless

The machine offers you the flexibility to work truly cordless with an internal battery. Alternatively, the machine can also be connected to a backpack battery. Whatever suits your preferences and needs.

Outstanding cutting capacity

The unique, Husqvarna developed high torque motor combined with the outstanding cutting diameter provide a capacity equivalent to a 35-cc petrol-powered brushcutter.



ErgoFeed™ trimmer function

The ErgoFeed™ function allows you to feed the trimmer line with a simple push of a button located on the right handle. This reduces the risk of unintentional feed, minimizing trimmer line consumption. The ErgoFeed™ trimmer head is designed with a minimum of moving parts which makes it robust and durable.



FEATURES

- Outstanding cutting capacity
- Truly cordless for highest flexibility
- Integrated connectivity for easy connect to Husqvarna FleetServices™
- ErgoFeed™ trimmer function
- 3-Speed mode
- Intuitive advanced key pad
- Products within the Husqvarna Battery Series are equipped with an on/off-button*.
- Weatherproof (IPX4) - Use in all weather conditions
- Comfortably in all situations
- Effective anti-vibration dampeners
- Poignée haute, plus de place pour les jambes
- Efficient brushless E-TORQ motor
- Smart battery pack position, placed horizontally through the body of the machine.
- Allows you to quickly switch the same battery between different product applications and keep working.
- Silent Operation
- Peu d'entretien
- Guidon réglable pour un confort optimal
- Poignées Soft grip
- Angle du renvoi d'angle optimisé pour des performances de coupe optimales

Technical specifications	
BATTERIE	
Tension de la batterie	36 V
Poids sans batterie	4.9 kg
CAPACITY	
Régime maximum de l'arbre en tr/mn	8200 tr/min
DIMENSIONS	
Largeur de coupe	45 cm
Dim. du produit, LxHx Height	30 cm
Dim. du produit, LxHx Length	175 cm
Dim. du produit, LxHx Width	12.5 cm
Diamètre du tube	28 mm
Longueur du tube	1380 mm
Poids sans batterie	4.9 kg
MOTEUR	
Type de moteur	BLDC (sans brosse)
ÉQUIPEMENT	
Entraînement par renvoi d'angle	35 °
Démultiplication	0.714
Démultiplication	1.4
type de poignée	Forme en T
Couteau à herbe OEM	Multi 300-3
Harnais OEM	Balance X
Lame de scie OEM	--
Type de manche	Droit
LUBRIFIANT	
Type de lubrifiant (renvoi d'angle)	Graisse minérale
Source d'alimentation générique	Battery
Type de carburant	Battery
CONTENU DE L'EMBALLAGE	
Packaging height	275 mm
Packaging length	1800 mm
Packaging width	325 mm
Quantity in Master pack	1
Poids, y compris l'emballage	11.129 kg
SON ET BRUIT	
"Niveau de puissance sonore garanti (L _{wa})"	96 dB(A)
Niveau de puissance sonore mesuré	92.6 dB(A)
"Niveau de pression sonore au niveau des oreilles de l'utilisateur"	80.2 dB(A)
VIBRATION	
"Exposition journalière aux vibrations (A _{eqv})"	1.7 m/s ²
"Exposition journalière aux vibrations (A ₈)"	1.12 m/s ²
"Durée d'exposition journalière aux vibrations (Facteur temps)"	3.5 h
Niveau de vibration équivalent (ahv, eq) - poignées gauche/droite	1.7 m/s ²
Niveau de vibration équivalent (ahv, eq) - poignées gauche/droite	1.41 m/s ²

ACCESSORIES



TÊTE NYLON SEMI AUTOMATIQUE TRIMMER HEAD T35X T35
578 44 64-01



TRIMMER HEAD ERGO FEED
594 72 70-01



COUPEAU À HERBE, 3 DENTS
578 44 49-01



COUPEAU À HERBE
578 44 47-01



COUPEAU À HERBE, 3 DENTS
578 44 45-01



HARNES BALANCE XB
597 46 93-01



PROTECTEUR D'OREILLES, SERRE-TÊTE
505 66 53-04



PROTECTION OREILLES AVEC RADIO FM
578 27 49-03



PROTECTION OREILLES AVEC RADIO FM
578 27 49-04



X-COM R
595 08 40-01



LUNETTES DE PROTECTION, TRANSPARENTES X
544 96 37-01



LUNETTES DE PROTECTION, PRO SOLAIRE
544 96 37-03



PROTECTIVE GLASSES, YELLOW X
544 96 37-02



VESTE POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 82-46



VESTE POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 82-50



VESTE POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 82-54



VESTE POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 82-62



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-46



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-48



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-50



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-52



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-54



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-56



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-58



PANTALON POUR TURBOFILS ET DÉBROUSSAILLEUSES, TECHNICAL
580 68 81-60



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-46



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-50



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-54



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-58



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-62



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-46



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-48



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-50



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-52



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-54



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-56



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-58



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-60



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-46



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-50



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-54



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-58



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-62



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-66



MODÈLE COURT TECHNICAL
501 71 59-46



WORK T-SHIRT SHORT SLEEVE, TECHNICAL
501 71 59-50



WORK T-SHIRT SHORT SLEEVE, TECHNICAL
501 71 59-54



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-58



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-62



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-66



GANTS, CLASSIC LIGHT
579 38 00-09



GANTS, CLASSIC LIGHT
596 31 06-06



GANTS, CLASSIC LIGHT
596 31 06-07



GANTS, CLASSIC LIGHT
596 31 06-08



GANTS, CLASSIC LIGHT
596 31 06-09



GANTS, CLASSIC LIGHT
596 31 06-10



GANTS, TECHNICAL LIGHT
596 30 92-08



GANTS, TECHNICAL LIGHT
596 30 92-09



GANTS, TECHNICAL LIGHT
596 30 92-10



BOTTES DE PROTECTION
TECHNICAL
575 35 47-37



BOTTES DE PROTECTION
TECHNICAL
575 35 47-41



BOTTES DE PROTECTION
TECHNICAL
575 35 47-42



BOTTES DE PROTECTION
TECHNICAL
575 35 47-43



BOTTES DE PROTECTION
TECHNICAL
575 35 47-44



BOTTES DE PROTECTION
TECHNICAL
575 35 47-45



BOTTES DE PROTECTION
TECHNICAL
575 35 47-46



BOTTES DE PROTECTION
TECHNICAL
575 35 47-47



BOTTES DE PROTECTION
TECHNICAL
596 30 64-36



BOTTES DE PROTECTION
TECHNICAL
596 30 64-37



BOTTES DE PROTECTION
TECHNICAL
596 30 64-38



BOTTES DE PROTECTION
TECHNICAL
596 30 64-39



BOTTES DE PROTECTION
TECHNICAL
596 30 64-40



BOTTES DE PROTECTION
TECHNICAL
596 30 64-41



BOTTES DE PROTECTION
TECHNICAL
596 30 64-42



BOTTES DE PROTECTION
TECHNICAL
596 30 64-43



BOTTES DE PROTECTION
TECHNICAL
596 30 64-44



BOTTES DE PROTECTION
TECHNICAL
596 30 64-45



BOTTES DE PROTECTION
TECHNICAL
596 30 64-46



BOTTES DE PROTECTION
TECHNICAL
596 30 64-47



HUSQVARNA BATTERY BLI300
967 07 19-01



HUSQVARNA BLI950X
579 82 22-01



HUSQVARNA BLI950X
967 09 32-01

HUSQVARNA CHARGER QC500
967 09 15-01



HUSQVARNA CHARGER QC500
970 44 95-01



HUSQVARNA INVERTER VI600F
967 62 85-01

HUSQVARNA BATTERY BOX M
597 16 85-01

TRIMMER LINE WHISPER TWIST
597 66 91-20

TRIMMER LINE WHISPER TWIST
597 66 91-21

TRIMMER LINE WHISPER TWIST
597 66 91-22

TRIMMER LINE WHISPER TWIST
597 66 91-30

TRIMMER LINE WHISPER TWIST
597 66 91-31



TRIMMER LINE WHISPER TWIST
597 66 91-32

MULTI ADVANCED GREASE
588 81 48-01



UL 21
544 14 21-01



ACTIVE CLEAN SPRAY
597 25 57-01